





Write Now Pencil Pouch

Available in three sizes, our Write Now Pencil Pouch has your school and office supplies all zipped up! From the eraser top to the pointed lead tip, each part of the pencil is made from a different fabric color, with the grey zipper a functional element of the textured "metal" band. Fully lined with no raw seams, the pencil pouch is quilted completely inthe-hoop and makes a wonderful gift for students, teachers, professionals, and writers of all ages and stages!

We love to see what you create! Share photos of your project on the Kimberbell Designs Facebook page or Instagram #kimberbelldesigns

Materials Needed SHORT:

HOOP: 5 x 7

Embroidery Field: 4.21×7.00 " or 107.0×178.0 mm Finished Size: 4×6 %"

STABILIZER: Cut-away

FABRIC:

Fabric A: Pencil Color 1 Fat Eighth
Fabric B: Lining 1 Fat Eighth
Fabric C: Wood 1 Fat Sixteenth
Fabric D: Lead Fabric Scrap
Fabric E: Metal Band 1 Fat Sixteenth
Fabric F: Eraser 1 Fat Sixteenth

KIMBERBELL® PRODUCTS:

• KDTL100 Paper Tape

OTHER:

Batting
Zipper
(1) 8 x 5½"
(1) 6"

Cutting Instructions SHORT:

Fabric A:

Piece 1, Pencil Front $cut (1) 5 \times 5\frac{1}{2}$ " Piece 6, Pencil Back $cut (1) 5\frac{1}{2} \times 8$ "

Fabric B:

Lining Back cut (1) $5\frac{1}{2} \times 8^{\prime\prime}$ Lining Below Zipper cut (1) $5\frac{1}{2} \times 7^{\prime\prime}$ Lining Above Zipper cut (1) $3 \times 5\frac{1}{2}^{\prime\prime}$

Fabric C:

Piece 2, Wood cut **(1)** $2\frac{1}{2} \times 5\frac{1}{2}$ "

Fabric D:

Piece 3, Lead cut **(1)** 1 x 2"

Fabric E:

Piece 4, Main Below Zipper (Metal Band) cut (1) 2½ x 5½"

Fabric F:

Piece 5, Main Above Zipper (Eraser) cut (1) 3 x 5½"

Pattern Key

A Fabric Scrap is 5 x 5"

A Fat Sixteenth is 9 x 11"

A Fat Eighth is 9 x 21"

A Fat Quarter is 18 x 21"




Indicates thread color change.



Corresponds with the specific embroidery machine step.

Template



Materials Needed MEDIUM:

HOOP: 6 x 10

Embroidery Field: 4.21 x 8.0" or 107.0 x 203.0 mm

Finished Size: 4 x 7¾"

STABILIZER: Cut-away

FABRIC:

Fabric A: Pencil Color

Fabric B: Lining

1 Fat Eighth

Fabric C: Wood

1 Fat Sixteenth

Fabric D: Lead

Fabric E: Metal Band

1 Fat Sixteenth

Fabric F: Eraser

1 Fat Sixteenth

KIMBERBELL® PRODUCTS:

• KDTL100 Paper Tape

OTHER:

• Batting (1) 9 x 5½" • Zipper (1) 6"

Cutting Instructions MEDIUM:

Fabric A:

Piece 1, Pencil Front cut (1) $5\frac{1}{2} \times 6^{\circ\prime}$ Piece 6, Pencil Back cut (1) $5\frac{1}{2} \times 9^{\circ\prime}$

Fabric B:

Lining Back cut (1) $5\% \times 9$ " cut (1) $5\% \times 8$ " cut (1) $5\% \times 8$ " cut (1) $3 \times 5\%$ "

Fabric C:

Piece 2, Wood cut **(1)** 2½ x 5½"

Fabric D:

Piece 3, Lead cut **(1)** 1 x 2"

Fabric E:

Piece 4, Main Below Zipper (Metal Band) cut (1) 2½ x 5½"

Fabric F

Piece 5, Main Above Zipper (Eraser) cut (1) 3 x 5½"

Materials Needed TALL:

HOOP: 6 x 10

Embroidery Field: 4.21 x 9.0" or 107.0 x 228.4 mm

Finished Size: 4 x 8¾"

STABILIZER: Cut-away

FABRIC:

Fabric A: Pencil Color 1 Fat Eighth
Fabric B: Lining 1 Fat Eighth
Fabric C: Wood 1 Fat Sixteenth
Fabric D: Lead Fabric Scrap
Fabric E: Metal Band 1 Fat Sixteenth
Fabric F: Eraser 1 Fat Sixteenth

KIMBERBELL® PRODUCTS:

• KDTL100 Paper Tape

OTHER:

• Batting (1) 10 x 5½" • Zipper (1) 6"

Cutting Instructions TALL:

Fabric A:

Piece 1, Pencil Front cut (1) $5\frac{1}{2} \times 7$ " Piece 6, Pencil Back cut (1) $5\frac{1}{2} \times 9$ "

Fabric B:

Lining Back cut (1) $5\frac{1}{2} \times 10^{\prime\prime}$ Lining Below Zipper cut (1) $5\frac{1}{2} \times 9\frac{1}{2}^{\prime\prime}$ Lining Above Zipper cut (1) $3 \times 5\frac{1}{2}^{\prime\prime}$

Fabric C:

Piece 2, Wood cut **(1)** $2\frac{1}{2} \times 5\frac{1}{2}$ "

Fabric D:

Piece 3, Lead cut **(1)** 1½ x 2"

Fabric E:


Piece 4, Main Below Zipper (Metal Band) cut (1) 2½ x 5½"

Fabric F:

Piece 5, Main Above Zipper (Eraser) cut (1) $3 \times 5\frac{1}{2}$ "

Prepare the Following:

- Fold Piece 4 Fabric and Piece 5 Fabric in half lengthwise, wrong sides together
- Press well



2.

- Fold the Lining Above Zipper
 Fabric in half lengthwise, wrong sides together
- Press well



3

- Fold the Lining Below Zipper Fabric down approximately 1" on the short edge, wrong sides together
- Press well



Embroidery Instructions:

- Hoop stabilizer only
- Load the KDEX104_5x7_ Short_WriteNow_ Pencil Pouch embroidery file into the machine
- Or KDEX104_6x10_ Medium_ WriteNow_ Pencil Pouch

KDEX104_6x10_ Tall_WriteNow_ Pencil Pouch



5.


• Stitch the batting placement line, directly on the stabilizer





6

 Place batting completely covering the placement line




 Stitch the batting tack-down/ piecing template





8. Piece 1:

 Place Piece 1, Pencil Front Fabric, right side up completely covering Section 1





9.

 Stitch the piece 1 trimming/piece 2 placement line





10

• Trim fabric close to the stitch line



Piece 2:

 Place Piece 2, Wood Fabric, right side down centered along the line stitched





12.

• Stitch the seam stitch





 Flip and press Piece 2, Wood Fabric, right side up

Tip: Use a mini iron or finger press along the seam line. If you are using an iron, remove hoop from machine and press on an ironing board.



14. Piece 3:

• Stitch the piece 2 trimming/piece 3 placement line







15.

• Trim fabric close to the stitch line



16.

 Place Piece 3, Lead Fabric, right side down centered along the line stitched



17.


• Stitch the seam stitch





18.

 Flip and press Piece 3, Lead Fabric, right side up





19. Piece 4:

• Stitch the piece 4 placement line





20.

 Trim fabric close to the stitch line (Do not place fabric at this time.)





Stitch the zipper placement line



22.

- Remove hoop from machine
 - Carefully trim batting from **inside** the box (**Do not cut through the stabilizer.**)





A note about paper tape: Kimberbell Paper Tape works especially well for machine embroidery! It's semi-transparent so you can see your project and won't leave a sticky residue on the needle as it sews. Plus, it easily tears away when the stitching is complete. You can even use it on the back of the hoop without rolling.



Note: If you have another type of tape that is too tacky, you may want to stick it on a piece of scrap fabric before placing it on your project. Some of the lint fibers will adhere to this tape and reduce the stickiness.

• Using the zipper placement line as a guide, place the zipper right side up, within the stitched box, with the pull on the left side (The zipper pull and zipper stop should be outside of the box, so they won't go under the embroidery needle.)

 Use tape to hold the zipper in place (The tape placed at each end will also help the presser foot glide over the zipper teeth when stitching.)










• Place the raw edges of Piece 4, Metal Band Fabric, on the trimming/placement line stitched in Direction Step 19, centering the fabric along the stitch line (Tape in place if needed.)




Note: If you raised the presser foot for this step, be sure to lower the foot to its original position before proceeding to Direction Step 25.

• Stitch the seam stitch



- Flip Piece 4, Metal Band Fabric, up aligning the fold just below the zipper teeth
 - Tape in place





• Change thread to desired color



- Stitch the tack-down line






Shown in black for illustration purposes only.

now is the time to carefully remove those stitches and repeat the step.

zipper. If you are pleased with the stitches, move forward to Direction Step 29. If the fabric somehow shifted while stitching,

Before moving onto the next step, check the tack-down **line** to be sure the fabric is evenly spaced next to the


- Remove hoop from machine
- Turn hoop to **back**
- Carefully cut away the stabilizer that is **over** the zipper (You will see the back of the zipper.)



back of hoop

30.

- Place the Lining
 Below the Zipper
 Fabric right side
 up, on the back of
 the hoop, with the
 fold aligned just
 below the zipper
 teeth
- Tape in place
- Turn hoop to **front**



back of hoop

31.

- Return hoop to machine
- Stitch the tack-down line & metal band quilting



• Remove tape


Note: Shown in black for illustration purposes only.



front of hoop

32 Piece 5:

- Place Piece 5, Eraser Fabric, aligning the fold just above the zipper teeth
- Tape in place



front of hoop

33. • Change thread to desired color



- Stitch the tack-down line
- Remove tape






front of hoop

Note: This stitch is part of the finishing top stitches. Shown in black for illustration purposes only.

- Remove hoop from machine
 - Turn hoop to **back**
 - Place the Lining Above Zipper Fabric with the fold aligned just below the zipper teeth
 - Tape in place



- Return hoop to machine
- Stitch the tack-down line
- Remove tape

Note: Shown in black for illustration purposes only.





front of hoop

36.

• Change thread to desired color



 Stitch the pencil quilting



Note: Shown in black for illustration purposes only.



37.

• Change thread to desired color




Stitch the wood quilting



Note: Shown in black for illustration purposes only.



38. • Open zipper ¾ of the way



39.

- On front of hoop, place Piece 6, Pencil Back Fabric, right side down completely covering the entire project
- Tape in place




40.

• Stitch the tack-down line



• Remove tape



- Remove hoop from machine
- Turn hoop to back
- Place the Lining Back Fabric right side down, completely covering the tack-down box previously stitched
- Tape in place



back of hoop

42.

- Return hoop to machine
- Stitch the final stitch outline (This stitch leaves an opening to turn the bag right side out.)




• Remove tape from back of project




front of hoop


43.

- Remove project from hoop
- Trim around the entire box approximately 1/4" away from the seam line



- Clip corners to reduce bulk
 - A. Trim across the corner seam allowance, being careful not to cut through the stitches.





45.

- Turn bag through the opening in the lining to expose the inside of the bag
- Poke corners with a blunt tip to square
- With a needle and thread, sew opening closed



46.

- Turn zipper pouch right side out through the open zipper
- Poke corners with a blunt tip to square
- Press with steam to finish



